

UNDERGROUND
UTILITY PERMIT APPLICATION

This is an Underground Utility Permit Application for telecommunications, electric, gas, water and sewer utilities. The applicant agrees to comply with the following permit requirements. The County reserves the right to inspect and approve any construction work performed within its Right-of-Way as it relates to the condition of the highway; compliance shall be determined by the sole discretion of the County Engineer. These requirements shall apply unless waived in writing, due to unique local conditions, by the County Engineer, prior to installation; any such waiver shall be attached to the permit. This permit is not intended to conflict with any utility owner's rights or duties mandated in Chapters 388,390,474, 476A, 477,478,479, 479A, and 480 or by the Iowa Utility Board or other state or federal regulations.

Applicant Name: _____

Street Address: _____

City, State, & Zip Code: _____

Telephone Number: _____ FAX: _____

Contact Person: _____

Brief Description: (type facility, location) Twp Name: _____ Section: _____

1. Location Plan. An applicant shall File a completed location plan as an attachment to this Utility Permit Application. The location plan shall set forth the location of the proposed line on the secondary road system and include a description of the proposed installation. This form shall be submitted in triplicate for approval.
2. Notice to Proceed. At least two (2) working days prior to the proposed installation an applicant shall file with the County Engineer a notice stating the time, date, location, and nature of the proposed installation. Call our foreman two (2) days prior to start of construction.
- a. Steve Westfall @ (712)-298-0773 -- Independence, Fairfield, Fem Valley, & West Bend Twps.
 - b. Bryan Long @ (712)480-3662 -- Emmetsburg, Freedom, Greak Oak, & Nevada Townships
 - c. Doug Girres @ (712)480-2280 -- Highland, Lost Island, Vernon, & Walnut Townships
 - d. Jake Treybal @ (712)363-7155 --Booth, Ellington, Rush Lake, & Silver Lake Townships
3. Inspection. The County Engineer may provide an inspector during the installation of all lines to ensure compliance with this Utility Permit. The inspection shall be limited to any construction work performed within the Right-of-Way as it relates to the condition of the Right-of-Way; the utility facility owner shall provide reasonable cooperation.
4. Inspection Fees. Upon approval of the application by the Board of Supervisors, the Utility Permit will be issued by the County Engineer contingent upon the applicant's agreement to pay the actual costs directly attributable to the installation inspection, if any, conducted by the County Engineer. Prepayment of such costs is not required if the applicant posts a surety bond or other proof of financial responsibility, which posting or showing may be made on an annual basis. Otherwise, a prepaid inspection fee made payable to the County Treasurer's office may be assessed as follows:
- | | |
|---------------------------------|-----------------------|
| Telecommunications.....\$ 1,000 | Electric.....\$ 1,000 |
| Gas.....\$ 1,000 | Water.....\$ 1,000 |
| Sewer.....\$ 1,000 | |
- Upon completion of the installation, the County Engineer shall provide a statement of services rendered to the applicant. Such statement shall be paid within thirty (30) days of receipt. In the event of a prepaid inspection fee, the County Engineer shall provide a statement for services rendered and refund any excess payment to the applicant within forty-five (45) days.
5. Requirements. The applicant shall meet the following requirements:
- A. Construction signing shall comply with the Manual on Uniform Traffic Control devices.
 - B. The minimum cover of utility facilities in the Right-of-Way shall be:
 - 1) 48 inches for electrical cables
 - 2) 30 inches for communication cables
 - 3) 36 inches for all other underground facilities

In critical situations where necessary cover cannot be obtained, other protective measures may be approved. The County reserves the right to waive the minimum depth of installation where rocky terrain and/or other circumstances make it difficult to obtain the desired depth. The County shall determine the minimum depth in these situations. The County Engineer may require additional depth in areas identified being silted or scheduled for future excavation.

- C. The applicant shall use reference markers in the Right-of-Way (R.O.W.) boundary to locate line and changes in alignment.
- D. All tile line locations encountered during construction shall be protected in accordance with I. A. C. 199-9(479).
- E. No underground utility lines shall cross over a driveway or crossroad drainage structure.
- F. Residents along the utility route shall have uninterrupted access to the public roads. An all weather access shall be maintained for residents adjacent to the project.
- G. A joint assessment of the road surfacing may be made by the applicant and the County Engineer both before and after construction. After construction, granular surfacing shall be added to the road at the applicant's cost, if necessary, to restore the road to its original condition. After the surfacing has been applied and the road has been saturated, the road surface may be jointly reviewed by the County Engineer and the applicant to determine if additional surfacing on the roadway by the applicant is necessary.
- H. Areas where the R.O.W. is damaged during the installation shall be repaired and restored to at least its former condition by the applicant or the cost of the repair work caused to be performed by the County will be assessed against the applicant.
- I. Areas disturbed during construction which create an erosion problem shall be solved by the applicant in a manner approved by the County Engineer.
- J. All trenches, excavations, and utilities that are knifed shall be properly tamped.
- K. Road crossings under pavements shall be bored. The depth below the road surface shall be a minimum of 48 inches for all utility facilities. Other road crossings may be plowed with depths as previously defined above.

- 6. Non-conforming Work. The County Engineer may halt the installation at any time if the applicant's work does not meet the requirements set forth in this Utility Permit.
- 7. Emergency Work. In emergency situations, work may be initiated by an applicant without first obtaining a Utility Permit. However, the County Engineer shall be notified via telephone or FAX as soon as possible and a Utility Permit must be requested within five (5) days of initiation of the work. All emergency work shall be done in conformity with the provisions of this permit and may be inspected for full compliance.
- 8. County Infraction. Violation of this permit is a County infraction under Iowa Code Section 331, 307, punishable by a civil penalty for each violation.
- 9. Hold Harmless. The Utility company shall save this County harmless from any damages resulting from the negligence of the applicant. A copy of a certificate of insurance naming this County as an additional insured for the permit work or proof of self insurance shall be provided to the County Engineer prior to installation. The minimum limit of liability under the insurance policy or proof of self insurance shall be \$1,000,000.
- 10. Permit Required. No applicant shall install any lines unless such applicant has obtained a Utility Permit from the County Engineer. Applicants agree to hold the County free from liability for all damage to applicant's property which occurs approximately as a result of the applicant's failure to comply with said ordinances or requirements.
- 11. Relocation. The applicant shall, at any time subsequent to installation of utility lines, at the applicant's own expense, relocate or remove such lines as may become necessary to conform to new grades, alignment or widening of R.O.W. resulting from maintenance or construction operations for highway improvements.
- 12. Term of Permit. In accordance with Section 320.5 of the Code of Iowa, applicable mains and water mains described in Section 320.4 shall be granted a permit for a period not to exceed twenty (20) years. At the end of twenty years, if neither of the parties object in writing, the permit will automatically renew itself.
- 13. Non Construction Season: *Permits will not be approved after October 15th without special permission from the County Engineer. Permit approvals will resume March 15th*

DATE: _____

Name of Company

By: _____

RECOMMEND FOR APPROVAL:

DATE: _____

PALO ALTO COUNTY ENGINEER

APPROVAL DATE: _____

Chairman of the Board of Supervisors

ATTEST: _____

Palo Alto County Auditor